PATENT IFW

02910.000079.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

)
: Examiner: Janis L. Dote) : Art Unit: 1756
) :
)
: Oertificate) : NAY 3 1 2007,
) orrection
) May 10, 2007

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

ON COVER PAGE [57] ABSTRACT:

Line 6, "an" should read --a--; Line 11, "5%" should read --5%.--; and Line 12, "Da≥10Db." should read --Da≥10Db--.

COLUMN 2:

Line 33, "an" should read --a--.

COLUMN 9:

Line 17, "uniformess" should read --uniformness--.

COLUMN 11:

Line 59, "1 50 V." should read --1.50 V.--.

COLUMN 13:

Line 20, "uniformess" should read --uniformness--.

COLUMN 14:

Line 25, "uniformess" should read --uniformess--.

COLUMN 22:

Line 11, "hexaamethyld-" should read --hexamethyld---.

COLUMN 23:

Line 29, "den" should read --deterioration--.

COLUMN 24:

Line 50, "2-etylhexyl" should read --2-ethylhexyl--.

COLUMN 29:

Line 21, "elcosyl" should read --eicosyl--;

Line 22, "cownabil" should read --carnubyl--; and

Line 38, "stylene" should read --styrene--.

COLUMN 37:

Line 58, "conduct" should read --conductive--.

COLUMN 38:

Line 26, "chargig" should read --charging--.

COLUMN 44:

Line 38, "136" should read --136°--.

COLUMN 48:

Line 16, "to an" should read --to a--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

Peter Saxon

Attorney for Patentees Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza
New York, New York 10112-3801

Facsimile: (212) 218-2200

NY_MAIN 632253v1